

















# PRICE LIST

















# HIKVISION







































☎ 01117700111  
 🌐 WWW.RADIS-CO.COM  
 📷 RADIS\_NET


















## Turbo HD Camera - DVR

















SKU (#)	SKU (P)	Items	Description	User Price
<b>Turbo HD - 2MP</b>				
250368	200368	<a href="#">DS-2CE16D0T-ITF</a> 	2 MP high performance CMOS - 1920 × 1080 resolution - 2.8 mm, 3.6 mm fixed lens - Up to 20 m IR distance - 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP66 weatherproof - True Day/Night, Smart IR	IRR 14,190,000
250271	200271	<a href="#">DS-2CE16D0T-ITFS (3.6mm)</a> 	<b>2 MP coaxial audio camera</b> Enhancing safety with discreet and economical <b>built-in microphone</b> Transmits audio over the coaxial cable, EXIR 2.0: advanced infrared technology with 30 m IR distance, Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 17,410,000
		<a href="#">DS-2CE16D0T-EXIP</a> 	2MP Outdoor EXIR Fixed Mini Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm fixed lens Up to 20 m IR distance for bright night imaging, DWDR, 2DDNR Water and dust resistant (IP66)	CALL
250673	200673	<a href="#">DS-2CE16D0T-EXIPF 2.8mm</a> 	2 MP Fixed Mini Bullet Camera, High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm fixed lens Up to 20 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP66)	IRR 6,440,000
		<a href="#">DS-2CE16D0T-ITPF</a> 	2 MP Fixed Mini Bullet Camera 2 MP, 1920 × 1080 resolution, 2.8 mm, 3.6 mm, 6 mm fixed lens 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) Smart IR, up to 25 m IR distance, DWDR, HLC, BLC IP67	IRR 10,430,000
250356	200356	<a href="#">DS-2CE16D0T-ITPFS</a> 	2 MP Audio Fixed Mini Bullet Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 25 m IR distance Water and dust resistant (IP67)	IRR 16,390,000
250539	200539	<a href="#">DS-2CE16D0T-EXIF</a> 	2 MP Fixed Mini Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm fixed lens, DWDR, 2DDNR Up to 20 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP66)	IRR 12,980,000
250206	200206	<a href="#">DS-2CE16D0T-VFIR3F</a> 	2 MP high performance CMOS - 1920 × 1080 resolution - 2.8 mm, 3.6 mm fixed lens - Up to 40 m IR distance - 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP66 weatherproof - True Day/Night, Smart IR - Lens 2.8 - 12 mm @ F1.4	IRR 28,780,000
250696	200696	<a href="#">DS-2CE17D0T-IT1F</a> 	2 MP Fixed Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 30 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	IRR 18,050,000
		<a href="#">DS-2CE17D0T-IT3F</a> 	2 MP Fixed Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm, 6 mm, 8 mm, 12 mm fixed focal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	IRR 23,160,000
250303	200303	<a href="#">DS-2CE76D0T-ITPF</a> 	2 MP turret camera. EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).	IRR 12,320,000
250436	200436	<a href="#">DS-2CE76D0T-ITPFS</a> 	2 MP Audio Fixed Turret Camera 2 MP coaxial <b>audio camera</b> , Enhancing safety with discreet and economical <b>built-in microphone</b> , Transmits audio over the coaxial cable. EXIR 2.0: advanced infrared technology with 30 m IR distance, Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 14,840,000
250272	200272	<a href="#">DS-2CE76D0T-ITMF</a> 	2 MP Fixed Turret Camera 2 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).	IRR 16,440,000
250304	200304	<a href="#">DS-2CE76D0T-ITMFS</a> 	2 MP coaxial <b>audio camera</b> Enhancing safety with discreet and economical <b>built-in microphone</b> Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67), 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 18,810,000
		<a href="#">DS-2CE76D0T-EXIPE</a> 	High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm fixed lens Up to 20 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS)	IRR 13,390,000
250207	200207	<a href="#">DS-2CE56D0T-VFIR3F</a> 	2 MP high performance CMOS - 1920 × 1080 resolution - 2.8 mm, 3.6 mm fixed lens - Up to 40 m IR distance - 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP66 weatherproof - True Day/Night, Smart IR - Lens 2.8 - 12 mm @ F1.4	IRR 32,240,000

		<a href="#">DS-2CE10DFT-F-ColorVu</a>		2 MP ColorVu Fixed Mini Bullet Camera 2 MP full time color bullet camera, 24/7 full color imaging, Warm supplemental light with 20 m range Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images, Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	CALL
		<a href="#">DS-2CE10DF3T-FS</a>		2 MP ColorVu Audio Fixed Mini Bullet Camera High quality imaging with 2 MP, 1920 x 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images, 2.8 mm, 3.6 mm fixed focal lens Up to 20 m white light distance for bright night imaging High quality audio with audio over coaxial cable, built-in mic One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	IRR 34,070,000
250477	200477	<a href="#">DS-2CE10DF3T-F</a>		DS-2CE10DF3T-F Turbo HD Products Turbo HD Cameras Turbo HD Cameras with ColorVu 2 MP ColorVu Fixed Mini Bullet Camera High quality imaging with 2 MP, 1920 x 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images	IRR 24,300,000
250668	200668	<a href="#">DS-2CE12DF3T-F-ColorVu</a>		2 MP ColorVu Fixed Bullet Camera 24/7 full color imaging, Warm supplemental light with 40 m range 2.8 mm, 3.6 mm, 6 mm fixed focal lens, Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images, Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 33,470,000
		<a href="#">DS-2CE12DF3T-FS-2.8MM</a>		High quality imaging with 2 MP, 1920 x 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 40 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS)	IRR 38,330,000
250473	200473	<a href="#">DS-2CE70DF0T-PF-ColorVu</a>		2 MP ColorVu Indoor Fixed Turret Camera High quality imaging with 2 MP, 1920 x 1080 resolution, 24/7 color imaging with F1.0 aperture 3D DNR technology delivers clean and sharp images, 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 20 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS)	IRR 20,730,000
		<a href="#">DS-2CE70DF3T-PF</a>		2 MP ColorVu Fixed Turret Camera High quality imaging with 2 MP, 1920 x 1080 resolution, 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images, 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 20 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS)	IRR 26,980,000
250544	200544	<a href="#">DS-2CE72DF3T-F</a>		2 MP ColorVu Fixed Turret Camera, High quality imaging with 2 MP, 1920 x 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens, Up to 40 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	IRR 25,410,000
		<a href="#">DS-2CE72KF0T-FS</a>		High quality imaging with 3K, 2960 x 1665 resolution 24/7 colour imaging with F1.0 aperture 2.8 mm, 3.6 mm fixed focal lens Up to 40 m white light distance for bright night imaging High quality audio with audio over coaxial cable, built-in mic One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	IRR 37,400,000
		<a href="#">DS-2CE72DFT-F</a>		2 MP ColorVu Fixed Turret Camera 2 MP full time color turret camera 24/7 full color imaging Warm supplemental light with 20 m range Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67)	call
		<a href="#">DS-2CE72DFT-FC</a>		2 MP ColorVu Fixed Turret Camera, 2 MP full time color turret camera 24/7 full color imaging Warm supplemental light with 20 m range Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 10,520,000
250669	200669	<a href="#">DS-2CE10KF0T-FS</a>		3K ColorVu Audio Fixed Mini Bullet Camera High quality imaging with 3K, 2960 x 1665 resolution 24/7 color imaging with F1.0 aperture 2.8 mm, 3.6 mm fixed focal lens Up to 20 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	IRR 34,810,000
250709	200709	<a href="#">DS-2CE12KF0T-FS</a>		High quality imaging with 3K, 2960 x 1665 resolution 24/7 color imaging with F1.0 aperture 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 40 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67) High quality audio with audio over coaxial cable, built-in mic	IRR 40,260,000
<b>Turbo HD - 2MP - Ultra Low Light Series</b>					
250588	200588	<a href="#">DS-2CE16D3T-ITF</a>		2 MP Ultra Low Light Fixed Mini Bullet Camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 21,660,000
		<a href="#">DS-2CE16D3T-IT3F</a>		2 MP bullet camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 50 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 22,240,000
		<a href="#">DS-2CE16D3T-I3F</a>		2 MP high-performance CMOS .Ultra low light . 1920 x 1080 resolution . 2.8 mm, 3.6 mm, 6 mm fixed lens .Smart IR, up to 30 m IR distance . OSD menu, 3D DNR, 120 dB true WDR, day/night switch .4 in 1 video output (switchable TVI/AHD/CVI/CVBS) .IP67 .Up the coax (HIKVISION-C)	call

250216	200216	<a href="#">DS-2CE16D8T-IT3E</a>		<p>2 MP Ultra Low Light PoC Fixed Bullet Camera 2 MP high performance bullet camera Strong night performance, capturing images in ultra-low light down to 0.003 lux Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 60 m IR distance Water and dust resistant (IP67) Transmits both HD video and power over the same coaxial cable</p>	IRR 21,600,000
200672	200672	<a href="#">DS-2CE76D3T-ITPF (NEW)</a>		<p>2 MP Ultra Low Light Indoor Fixed Turret Camera, 2 MP turret camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology, 3D DNR technology delivers clean and sharp images, EXIR 2.0: advanced infrared technology with 30 m IR distance, 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	IRR 17,420,000
		<a href="#">DS-2CE76D3T-ITMF</a>		<p>2 MP Ultra Low Light Fixed Turret Camera, 2 MP turret camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67), 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 23,840,000
		<a href="#">DS-2CE78D0T-IT3FS</a>		<p>2 MP Audio Fixed Turret Camera, 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 23,840,000
		<a href="#">DS-2CE79H0T-IT3ZF</a>		<p>5 MP Motorized Varifocal Turret Camera High quality imaging with 5 MP, 2560 x 1944 resolution 2.7 mm to 13.5 mm motorized varifocal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 45,780,000
		<a href="#">DS-2CE78D0T-ITFS</a>			IRR 16,880,000
<b>Turbo HD - 3MP- motorized</b>					
		<a href="#">DS-2CE56F7T-IT3Z</a>		<p>3 Megapixel high-performance CMOS - Analog HD output, up to 3MP resolution - <b>2.8-12mm motorized vari-focal lens</b> - True Day/Night - OSD menu, DNR, Smart IR - <b>True WDR</b>, up to 120dB - EXIR technology, up to 40m IR distance - IP66 weatherproof</p>	call
<b>Turbo HD - 5MP</b>					
250222	200222	<a href="#">DS-2CE16H0T-ITF</a>		<p>5 MP Fixed Mini Bullet Camera, 5 MP bullet camera EXIR 2.0: advanced infrared technology with 20 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 18,010,000
250397	200397	<a href="#">DS-2CE16H0T-ITFS</a>		<p>5 MP <b>Audio</b> Fixed Mini Bullet Camera, 5 MP coaxial <b>audio camera</b> Enhanced safety with discreet and economical built-in microphone, Transmit audio over coaxial cable EXIR 2.0: advanced infrared technology with 30 m IR distance, Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 23,050,000
250569	200569	<a href="#">DS-2CE16H0T-ITPFS (2.8mm)</a>		<p>5 MP <b>Audio</b> Fixed Mini Bullet Camera 5 MP coaxial audio camera Enhanced safety with discreet and economical built-in microphone Transmit audio over coaxial cable EXIR 2.0: advanced infrared technology with 25 m IR distance <del>Water and dust resistant (IP67)</del></p>	IRR 20,770,000
		<a href="#">DS-2CE16H0T-ITPFS (3.6mm)</a>		<p>5 MP <b>Audio</b> Fixed Mini Bullet Camera 5 MP coaxial audio camera Enhanced safety with discreet and economical built-in microphone Transmit audio over coaxial cable EXIR 2.0: advanced infrared technology with 25 m IR distance <del>Water and dust resistant (IP67)</del></p>	IRR 21,420,000
250569	200569	<a href="#">DS-2CE16H0T-ITPF</a>		<p>5 MP Fixed Mini Bullet Camera 5 MP bullet camera EXIR 2.0: advanced infrared technology with 20 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 17,740,000
250223	200223	<a href="#">DS-2CE16H0T-IT1F</a>		<p>5 MP high performance COMS - 2560 x 1944 resolution - 2.8 mm, 3.6 mm, 6 mm fixed lens - EXIR 2.0, smart IR, up to 20 m IR distance - OSD menu, 2D DNR, DWDR - 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP67</p>	IRR 14,030,000
250224	200224	<a href="#">DS-2CE16H0T-IT3F</a>		<p>5 MP high performance COMS - 2560 x 1944 resolution - 2.8 mm, 3.6 mm, 6 mm fixed lens - EXIR 2.0, smart IR, up to 40 m IR distance - OSD menu, 2D DNR, DWDR - 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP67</p>	IRR 14,380,000
250225	200225	<a href="#">DS-2CE16H0T-IT5F</a>		<p>5 MP high performance COMS - 2560 x 1944 resolution - 2.8 mm, 3.6 mm, 6 mm fixed lens - EXIR 2.0, smart IR, up to 80 m IR distance - OSD menu, 2D DNR, DWDR - 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP67</p>	IRR 16,690,000
250226	200226	<a href="#">DS-2CE16H0T-IT3ZF</a>		<p>5 MP high performance COMS - 2560 x 1944 resolution - 2.7 mm to 13.5 mm motorized vari-focal lens - EXIR 2.0, smart IR, up to 40 m IR distance - OSD menu, 2D DNR, DWDR - 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP67</p>	IRR 28,750,000
250474	200474	<a href="#">DS-2CE17H0T-IT1F</a>		<p>5 MP Fixed Bullet Camera High quality imaging with 5 MP, 2560 x 1944 resolution 2.4 mm, 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 30 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 23,230,000
250367	200367	<a href="#">DS-2CE17H0T-IT3F(2.8mm)</a>		<p>5 MP Fixed Bullet Camera High quality imaging with 5 MP, 2560 x 1944 resolution 2.8 mm, 3.6 mm, 6 mm, 8mm, 12mm fixed focal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 23,300,000

		<a href="#">DS-2CE17H0T-IT3F(3.6mm)</a>		5 MP Fixed Bullet Camera High quality imaging with 5 MP, 2560 × 1944 resolution 2.8 mm, 3.6 mm, 6 mm, 8 mm, 12mm fixed focal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	<b>IRR 24,100,000</b>
		<a href="#">DS-2CE17H0T-IT3FS</a>		High quality imaging with 5 MP, 2560 × 1944 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67) High quality audio with audio over coaxial cable, built-in mic	<b>IRR 29,790,000</b>
250390	200390	<a href="#">DS-2CE17H0T-IT5F</a>		5 MP Fixed Bullet Camera High quality imaging with 5 MP, 2560 × 1944 resolution 3.6 mm, 6 mm, 8 mm, 12 mm fixed focal lens Up to 80 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	<b>IRR 24,460,000</b>
		<a href="#">DS-2CE10HFT-F (3.6mm)</a>		5 MP ColorVu Fixed Mini Bullet Camera, 5 MP full time color bullet camera 24/7 full color imaging, 2.8 mm fixed focal lens Warm supplemental light with 20 m range Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).	<b>IRR 34,810,000</b>
		<a href="#">DS-2CE10DF0T-F</a>		2 MP ColorVu Fixed Mini Bullet Camera. High quality imaging with 2 MP, 1920 × 1080 resolution. 24/7 color imaging with F1.0 aperture. 3D DNR technology delivers clean and sharp images. 2.8 mm, 3.6 mm, 6 mm fixed focal lens. Up to 20 m white light distance for bright night imaging.	<b>IRR 32,130,000</b>
		<a href="#">DS-2CE12HFT-F28 2.8mm</a>		5 MP ColorVu Fixed Bullet Camera, 5 MP full time color bullet camera 24/7 full color imaging, 2.8 mm fixed focal lens Warm supplemental light with 40 m range Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	
		<a href="#">DS-2CE72HFT-F28</a>		5 MP ColorVu Fixed Turret Camera, 5 MP full time color turret camera 24/7 full color imaging, 2.8 mm fixed focal lens Warm supplemental light with 20 m range Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67), 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).	<b>IRR 40,160,000</b>
		<a href="#">DS-72HFT-F28</a>		5 MP ColorVu Fixed Turret Camera, 5 MP full time color turret camera 24/7 full color imaging, 2.8 mm fixed focal lens Warm supplemental light with 20 m range Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).	
250309	200309	<a href="#">DS-2CE76H0T-ITMF</a>		5 MP coaxial - Enhanced safety with discreet and economical Transmit audio over coaxial cable, EXIR 2.0: advanced infrared technology with 30 m IR distance, Water and dust resistant (IP67), 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	<b>IRR 21,440,000</b>
250285	200285	<a href="#">DS-2CE76H0T-ITMFS</a>		5 MP coaxial audio camera, Enhanced safety with discreet and economical built-in microphone Transmit audio over coaxial cable, EXIR 2.0: advanced infrared technology with 30 m IR distance, Water and dust resistant (IP67), 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	<b>IRR 24,290,000</b>
250651	200651	<a href="#">DS-2CE76H0T-ITPF (2.4mm)</a>		5 MP Indoor Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	<b>IRR 17,410,000</b>
250540	200540	<a href="#">DS-2CE76H0T-ITPFS</a>		5 MP coaxial audio camera Enhanced safety with discreet and economical built-in microphone Transmit audio over coaxial cable EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	<b>IRR 20,280,000</b>
250614	200614	<a href="#">DS-2CE78H0T-IT1F 2.4mm</a>		5 MP Camera 5 MP, 2560 × 1944 resolution 2.4 mm, 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 30 m IR distance 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67	<b>IRR 23,860,000</b>
		<a href="#">DS-2CE78H0T-IT3F@</a>		5 MP turret camera EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	<b>IRR 25,790,000</b>
		<a href="#">DS-2CE78H0T-IT3FS (3.6mm)</a>		5 MP Audio Fixed Turret Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 40 m IR distance Audio over coaxial cable, built-in mic	<b>IRR 25,440,000</b>
250227	200227	<a href="#">DS-2CE56H0T-ITMF</a>		5 MP high performance COMS - 2560 × 1944 resolution - 2.8 mm, 3.6 mm, 6 mm fixed lens - EXIR 2.0, smart IR, up to 20 m IR distance - OSD menu, 2D DNR, DWDR - 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP67	<b>IRR 13,620,000</b>
250230	200230	<a href="#">DS-2CE56H0T-IT1F</a>		5 MP high performance COMS - 2560 × 1944 resolution - 2.8 mm, 3.6 mm, 6 mm fixed lens - EXIR 2.0, smart IR, up to 20 m IR distance - OSD menu, 2D DNR, DWDR - 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP67	<b>IRR 14,410,000</b>
250228	200228	<a href="#">DS-2CE56H0T-IT3F</a>		5 MP high performance COMS - 2560 × 1944 resolution - 2.8 mm, 3.6 mm, 6 mm fixed lens - EXIR 2.0, smart IR, up to 40 m IR distance - OSD menu, 2D DNR, DWDR - 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP67	<b>IRR 15,570,000</b>

250229	200229	<a href="#">DS-2CE56H0T-IT3ZF</a>		5 MP high performance COMS - 2560 × 1944 resolution - 2.7 mm to 13.5 mm motorized vari-focal lens - EXIR 2.0, smart IR, up to 40 m IR distance - OSD menu, 2D DNR, DWDR - 4 in 1 video output (switchable TV/AHD/CVI/CVBS) - IP67	IRR 31,510,000
<b>TURBO HD 5MP (TURBO HD 5.0) PIR Series</b>					
250243	200243	<a href="#">DS-2CE71H0T-PIRL</a>		5 MP high performance CMOS - 2560 × 1944 resolution - 2.8 mm, 3.6 mm fixed focal lens - PIR detection, visual alarm - EXIR 2.0, smart IR, up to 20 m IR distance - IP67 - Up the coax (HIKVISION-C) - 0.01 Lux@ (F1.2, AGC ON), 0 Lux with IR	CALL
<b>Turbo HD - 8MP</b>					
250244	200244	<a href="#">DS-2CE78U8T-IT3</a>		4K Ultra-Low Light Turret Camera - 8.29 Megapixel high-performance CMOS - Ultra-low light - 3840 × 2160 resolution - 2.8 mm, 3.6 mm, 6 mm fixed focal lens - 120 dB true WDR, 3D DNR - EXIR 2.0, smart IR, up to 60m IR distance - IP67	IRR 63,870,000
250249	200249	<a href="#">DS-2CE18U8T-IT3</a>		4K Ultra-Low Light Bullet Camera - 8.29 Megapixel high-performance CMOS - Ultra-low light - 3840 × 2160 resolution - 2.8 mm, 3.6 mm, 6 mm fixed focal lens - 120 dB true WDR, 3D DNR - EXIR 2.0, smart IR, up to 60m IR distance - IP67	IRR 53,730,000
<b>Turbo HD PTZ Camera</b>					
250350	200350	<a href="#">DS-2AE4225T-LD</a>		High quality imaging with 2 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology - Clear imaging against strong back lighting due to 120 dB WDR technology - Pan and tilt ability enables camera to monitor zones of interest - 25 × optical zoom allows for closer viewing of subjects in expansive areas - Up to 100 m IR range ensures safety at night - Water and dust resistant (IP66)	IRR 180,520,000
250245	200245	<a href="#">DS-2AE5223TI-A (24VAC)</a>		1/3" CMOS, 1920x1080:30fps, TVI & CVBS dual output - 3D DNR, ICR, Color: 0.05lux/F1.4, B/W:0.005lux/F1.4, Optical Zoom:23x, Focus:4.0-92mm, Digital Zoom:16X, Pan range:360° endless; Tilt range: -15°~90°(Auto Flip), Pan Speed: 0.1° - 400°/s, Tilt Speed: 0.1° - 120°/s, Up the Coax, 150m IR	call
250246	200246	<a href="#">DS-2AE7230TI-A (24VAC)</a>		High performance 1/3" CMOS - Max. image resolution: 1920 × 1080 - Min. illumination: Color: 0.05Lux @ (F1.6,AGC ON); B/W: 0.005Lux @ (F1.6, AGC ON); 0 Lux with IR - 30x optical zoom, focal length 4-120mm - 16x digital zoom - 120m IR distance - IR cut filter - 3D DNR, Digital WDR, BLC - TVI and CVBS dual output	call
<b>Turbo HD DVR 1080p / 3MP / 4MP lite</b>					
250250	200250	<a href="#">DS-7204HQHI-K1</a>		Analog video input 4-ch - Encoding resolution 4 MP lite/3 MP/1080p/720p/VGA/WD1/4CIF/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - Full channel recording at up to 4 MP lite resolution - Frame rate: 4 MP lite@15fps; 1080p lite/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N) - IP video input: 2-ch (up to 6-ch) Up to 6 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output 1-ch, 1920 × 1080/60Hz - Audio input 1-ch, RCA - Capacity 1 SATA interface Up to 10 TB capacity	IRR 29,780,000
		<a href="#">IDS-7204HQHI-M1/S</a>		4-ch 1080p 1U H.265 AcuSense DVR 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps, 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) Up to 6 network cameras can be connected.	IRR 46,520,000
250253	200253	<a href="#">DS-7208HQHI-K1</a>		Analog video input 8-ch - Encoding resolution 4 MP lite/3 MP/1080p/720p/VGA/WD1/4CIF/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - Full channel recording at up to 4 MP lite resolution - Frame rate: 4 MP lite@15fps; 1080p lite/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N) - IP video input: 4-ch (up to 12-ch) Up to 6 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output 1-ch, 1920 × 1080/60Hz - Audio input 1-ch, RCA - Capacity 1 SATA interface Up to 10 TB capacity	IRR 38,370,000
		<a href="#">IDS-7208HQHI-M1/S</a>		8-ch 1080p 1U H.265 AcuSense DVR 8 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) Up to 12 network cameras can be connected.	IRR 73,390,000
250254	200254	<a href="#">DS-7116HQHI-K1</a>		Analog video input 16-ch - Encoding resolution 4 MP lite/3 MP/1080p/720p/VGA/WD1/4CIF/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - Full channel recording at up to 4 MP lite resolution - Frame rate: 4 MP lite@15fps; 1080p lite/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N) - IP video input: 8ch (up to 24-ch) Up to 6 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output: 1-ch, 4K (3840 × 2160)/30Hz - Audio input 1-ch, RCA - Capacity 1 SATA interface Up to 6 TB capacity	IRR 61,000,000
		<a href="#">IDS-7216HUHI-M2/S</a>		16-ch 5 MP 1U H.265 AcuSense DVR Deep learning-based motion detection 2.0 for all analog channels Deep learning-based perimeter protection Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) Up to 32 network cameras can be connected	IRR 226,750,000
		<a href="#">IDS-7216HQHI-M1/S</a>		16-ch 1080p 1U H.265 AcuSense DVR 16 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) Up to 24 network cameras can be connected. Record from and Manage up to 16 Cameras	IRR 124,090,000
		<a href="#">IDS-7216HQHI-M2/S</a>		Supports up to 8 IP Channels Up to 2MP Recording Resolution 20TB HDD Capacity (Available Separately) H.265+/H.264+/H.265/H.264 Video Codecs Two-Way Audio HDMI & VGA Video Outputs	IRR 154,400,000
		<a href="#">7216HQHI-K1-Eco</a>		Analog video input 16-ch - Encoding resolution 4 MP lite/3 MP/1080p/720p/VGA/WD1/4CIF/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - Full channel recording at up to 4 MP lite resolution - Frame rate: 4 MP lite@15fps; 1080p lite/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N) - IP video input: 8ch (up to 24-ch) Up to 6 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output: 1-ch, 4K (3840 × 2160)/30Hz - Audio input 1-ch, RCA - Capacity 1 SATA interface Up to 10 TB capacity - ECO CASE	IRR 121,800,000
250256	200256	<a href="#">DS-7216HQHI-K1</a>		Analog video input 16-ch - Encoding resolution 4 MP lite/3 MP/1080p/720p/VGA/WD1/4CIF/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - Full channel recording at up to 4 MP lite resolution - Frame rate: 4 MP lite@15fps; 1080p lite/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N) - IP video input: 8ch (up to 24-ch) Up to 6 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output: 1-ch, 4K (3840 × 2160)/30Hz - Audio input 1-ch, RCA - Capacity 1 SATA interface Up to 10 TB capacity	IRR 121,800,000

250247	200247	<a href="#">DS-7208HGHI-F1</a>		8-ch 1080p Lite 1U H.264 DVR 8 channels and 1 HDD 1U DVR H.264+ / H.264 video compression Encoding ability up to 1080p lite @ 25/30 fps 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) Up to 10 network cameras can be connected	IRR 30,110,000
		<a href="#">DS-7208HGHI-F2</a>		8-ch 1080p Lite 1U H.264 DVR 8 channels and 2 HDDs 1U DVR H.264+ / H.264 video compression Encoding ability up to 1080p lite @ 25/30 fps 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) Up to 10 network cameras can be connected	IRR 39,720,000
250248	200248	<a href="#">DS-7216HGHI-K1</a>		16-ch 1080p Lite 1U H.265 DVR Deep learning based human and vehicle targets classification of Motion Detection 2.0.H.265 Pro+/H.265 Pro/H.265 video compression/HDTV/AHD/CVI/CVBS/IP video input/Audio via coaxial cable Up to 18-ch IP camera inputs (up to 5 MP) Up to 1080p Lite@15 fps encoding capability Max. 1200 m for 720p HDTV signal	IRR 72,270,000
250257	200257	<a href="#">DS-7216HQHI-K2</a>		Analog video input 16-ch - Encoding resolution 4 MP lite/3 MP/1080p/720p/VGA/WD1/4CIF/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - Full channel recording at up to 4 MP lite resolution - Frame rate: 4 MP lite@15fps; 1080p lite/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N) - IP video input : 8ch (up to 24-ch) Up to 6 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output : 1-ch, 4K (3840 × 2160)/30Hz - Audio input 1-ch, RCA - Capacity 2 SATA interface Up to 10 TB capacity for each disk	IRR 87,850,000
		<a href="#">IDS-7232HQHI-M2/S</a>		32-ch 1080p 1U H.265 AcuSense DVR Deep learning-based motion detection 2.0 for all analog channels Deep learning-based perimeter protection Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) Up to 40 network cameras can be connected	IRR 252,020,000
250259	200259	<a href="#">DS-7232HQHI-K2</a>		Analog video input 32-ch - Encoding resolution 4 MP lite/3 MP/1080p/720p/VGA/WD1/4CIF/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - Full channel recording at up to 4 MP lite resolution - Frame rate: 4 MP lite@15fps; 1080p lite/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N) - IP video input : 8ch (up to 40-ch) Up to 6 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output : 1-ch, 4K (3840 × 2160)/30Hz - Audio input 1-ch, RCA - Capacity 2 SATA interface Up to 10 TB capacity for each disk	IRR 267,320,000
<b>Turbo HD DVR 1080p / 3MP / 4MP / 5MP / 8MP lite</b>					
200260	200260	<a href="#">DS-7204HUHI-K1</a>		Analog video input 4-ch - Encoding resolution 8 MP/5 MP/4 MP/3 MP/1080p/720p/WD1/4CIF/VGA/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - 8 MP@8 fps is only available for channel 1 of DS-7204HUHI-K1 - Frame rate: 8 MP@8 fps/5MP@12 fps/4 MP@15 fps/3 MP@18 fps 1080p/720p/WD1/4CIF/VGA/CIF@25 fps (P)/30 fps (N) - IP video input : 4-ch (up to 8-ch) Up to 8 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output 1-ch, 1920 × 1080/60Hz - Audio input 4-ch, RCA - Capacity 1 SATA interface Up to 10 TB capacity	IRR 67,720,000
250261	200261	<a href="#">DS-7208HUHI-K1</a>		Analog video input 8-ch - Encoding resolution 8 MP/5 MP/4 MP/3 MP/1080p/720p/WD1/4CIF/VGA/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - Frame rate: 8 MP@8 fps/5MP@12 fps/4 MP@15 fps/3 MP@18 fps 1080p/720p/WD1/4CIF/VGA/CIF@25 fps (P)/30 fps (N) - IP video input : 8-ch (up to 16-ch) Up to 8 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output 1-ch, 4K (3840 × 2160)/30Hz - Audio input 4-ch, RCA - Capacity 1 SATA interface Up to 10 TB capacity	IRR 70,930,000
		<a href="#">IDS-7204HUHI-M1/S</a>		4-ch 5 MP 1U H.265 AcuSense DVR, 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP lite @ 15 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected.	IRR 74,720,000
		<a href="#">IDS-7208HUHI-M1/S</a>		8-ch 5 MP 1U H.265 AcuSense DVR, 8 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP), Up to 16 network cameras can be connected.	IRR 124,630,000
		<a href="#">DS-7316HUHI-F4/N</a>		Support HD-TVI, AHD and analog cameras with adaptive access 16 Composite Video Inputs, 1 Composite Video Output, 1 VGA Output & Dual HDMI Output TVI 720P / 1080P, AHD 720P, IP Video Input: 2Ch up to 8MP Support 4 Units SATA Harddisk (Max 6TB per unit) Support USB Flash Drive Backup, Network Remote Recording & Back-up Remote surveillance with IE Browser & Mobile Phone Apps Support TCP/IP, PPPoE, DHCP, DDNS, UPnP, HTTPS & Hik Cloud P2P	IRR 447,270,000
250262	200262	<a href="#">DS-7216HUHI-K2</a>		Analog video input 16-ch - Encoding resolution 8 MP/5 MP/4 MP/3 MP/1080p/720p/WD1/4CIF/VGA/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - Frame rate: 8 MP@8 fps/5MP@12 fps/4 MP@15 fps/3 MP@18 fps 1080p/720p/WD1/4CIF/VGA/CIF@25 fps (P)/30 fps (N) - IP video input : 16-ch (up to 32-ch) Up to 8 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output 1-ch, 4K (3840 × 2160)/30Hz - Audio input 4-ch, RCA - Capacity 2 SATA interface Up to 10 TB capacity for each disk	IRR 218,730,000
<b>Turbo HD DVR 1080p / 3MP / 4MP / 5MP / 8MP lite (Built in PoC Series)</b>					
250263	200263	<a href="#">DS-7204HUHI-K1/P</a>		Analog video input 4-ch - Encoding resolution 8 MP/5 MP/4 MP/3 MP/1080p/720p/WD1/4CIF/VGA/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - 8 MP@8 fps is only available for channel 1 of DS-7204HUHI-K1 - Frame rate: 8 MP@8 fps/5MP@12 fps/4 MP@15 fps/3 MP@18 fps 1080p/720p/WD1/4CIF/VGA/CIF@25 fps (P)/30 fps (N) - IP video input : 4-ch (up to 8-ch) Up to 8 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output 1-ch 2K (2560 × 1440)/60Hz - Audio input 4-ch, RCA - Capacity 1 SATA interface Up to 10 TB capacity - Provide power supply to PoC cameras over coaxial cable	IRR 67,470,000
250264	200264	<a href="#">DS-7208HUHI-K2/P</a>		Analog video input 8-ch - Encoding resolution 8 MP/5 MP/4 MP/3 MP/1080p/720p/WD1/4CIF/VGA/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - Frame rate: 8 MP@8 fps/5MP@12 fps/4 MP@15 fps/3 MP@18 fps 1080p/720p/WD1/4CIF/VGA/CIF@25 fps (P)/30 fps (N) - IP video input : 8-ch (up to 12-ch) Up to 8 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output 1-ch, 4K (3840 × 2160)/30Hz - Audio input 4-ch, RCA - Capacity 2 SATA interface Up to 10 TB capacity for each disk - Provide power supply to PoC cameras over coaxial cable	IRR 115,230,000
<b>Turbo HD DVR 1080p / 3MP / 4MP / 5MP / 8MP</b>					
250265	200265	<a href="#">DS-7204HTHI-K1</a>		Analog video input 4-ch - Encoding resolution 8 MP/5 MP/4 MP/3 MP/1080p/720p/WD1/4CIF/VGA/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - Full channel recording at up to 8 MP resolution - Frame rate: 8 MP@15 fps, 5 MP@20 fps, 3 MP@18 fps 4 MP/1080p/720p/WD1/4CIF/VGA/CIF@25 fps (P)/30 fps (N) - IP video input : 4-ch (up to 8-ch) Up to 8 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output 1-ch, 4K (3840 × 2160)/30Hz - Audio input 4-ch, RCA - Capacity 1 SATA interface Up to 10 TB capacity	IRR 71,230,000
250266	200266	<a href="#">DS-7208HTHI-K2</a>		Analog video input 8-ch - Encoding resolution 8 MP/5 MP/4 MP/3 MP/1080p/720p/WD1/4CIF/VGA/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - Frame rate: 8 MP@15 fps, 5 MP@20 fps, 3 MP@18 fps 4 MP/1080p/720p/WD1/4CIF/VGA/CIF@25 fps (P)/30 fps (N) - IP video input : 8-ch (up to 16-ch) Up to 8 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output 1-ch, 4K (3840 × 2160)/30Hz - Audio input 4-ch, RCA - Capacity 2 SATA interface Up to 10 TB capacity for each disk	IRR 113,250,000